



The Corporation of the Town of Milton
Milton Accessibility Advisory Committee (MAAC)

Hybrid – Nassagewaya Room

July 20, 2026, 2:00 p.m.

	Pages
1. <u>AGENDA ANNOUNCEMENTS / AMENDMENTS</u>	
2. <u>DISCLOSURE OF PECUNIARY INTEREST</u>	
3. <u>HOUSEKEEPING ITEMS</u>	
3.1 Standardized Site Plan Comments Review and Revise, if Necessary.	
4. <u>APPROVAL OF MINUTES</u>	
4.1 Minutes from the April 20, 2026, Milton Accessibility Advisory Committee meeting	2
5. <u>ITEMS FOR CONSIDERATION</u>	
5.1 SP 05-26 - Fieldgate Proposal to develop three commercial buildings	5
5.2 SP 06-26 – 21 James Street Proposal to redevelop the existing building to a social service establishment.	6
5.3 SP 07/26 – 8601 Escarpment Way Proposal to develop cardlock fueling station with parking.	8
5.4 SP 08/26 – Mattamy Sales Office Proposal to develop a temporary sales office.	9
5.5 SP 09/26 – 8069 Esquesing Line (previous file SP 35/22) Proposal to modify and expand the previously approved place of worship.	10
6. <u>NEXT MEETING</u> To be determined.	
7. <u>ADJOURNMENT</u>	



The Corporation of the
Town of Milton
Milton Accessibility Advisory Committee

April 20, 2026, 2:00 p.m.
Nassagaweya Room - Hybrid

Members Absent: John Challinor II

Members Present: Nicole Murphy, Sahar Jamal, Aisha Ghafoor

1. **AGENDA ANNOUNCEMENTS / AMENDMENTS**

There were no Agenda Announcements or Amendments.

2. **DISCLOSURE OF PECUNIARY INTEREST**

There were no Disclosures of Pecuniary Interest.

3. **HOUSEKEEPING ITEMS**

National Accessibility Week is slated for May 31 – June 6. Members will be sent a request to attend Flag Raising and Proclamation once date and time is finalized from the Mayors Office. Just a reminder that June 3rd is Red Shirt Day.

4. **APPROVAL OF MINUTES**

4.1 **Minutes from the November 10, 2025, Milton Accessibility Advisory Committee meeting**

Moved by: Sahar

Seconded by: Nicole

BE IT RESOLVED THAT

1. The MINUTES of Milton Accessibility Advisory Committee held on November 10, 2025, BE APPROVED.

Carried

5. **PRESENTATIONS**

5.1 **Parks Accessibility Features**

Sarah Culp provided an overview of Park Improvement Plans.

5.2 2026 Milton Transit Accessibility Plan

Tony D'Alessandro provided an overview of the 2026 Milton Transit Accessibility Plan.

5.3 2026 Municipal Election Accessibility Plan

Helen Lafee provided an overview of the 2026 Municipal Election Accessibility Plan.

6. ITEMS FOR CONSIDERATION

6.1 SP 02-24 – Shearing Heights (revision)

Site Plan Review Planner Graeme Paton provided an overview of the Site Plan.

6.2 SP 18-25 – Century Grove Business Park Block 40

Site Plan Review Planner Graeme Paton provided an overview of the Site Plan.

6.3 SP 19-25- Milton Hyundai

Site Plan Review Planner Graeme Paton provided an overview of the Site Plan

6.4 SP 20-25 – 8564 – 8604 Regional Road 25

Site Plan Review Planner Graeme Paton provided an overview of the Site Plan.

6.5 SP 01-26 -141 Chisholm Drive

Site Plan Review Planner Graeme Paton provided an overview of the Site Plan.

6.6 SP 03–26 540 Commercial Drive

Site Plan Review Planner Graeme Paton provided an overview of the Site Plan.

6.7 SP 04-26 – JSP & Mount Pleasant

Site Plan Review Planner Graeme Paton provided an overview of the Site Plan.

7. **NEXT MEETING**


TBA

8. **ADJOURNMENT**


The meeting adjourned at 3:15 pm.

This drawing, as an instrument of service, is provided by and is the property of Turner Fleischer. The contractor must verify and accept responsibility for all dimensions and conditions on site and must notify Turner Fleischer of any variations from the supplied information. This drawing is not to be used for any other project without the written consent of Turner Fleischer. The architect is not responsible for the accuracy of survey, structural, mechanical, electrical, etc. information shown on this drawing. Rely on the appropriate consultant's drawings before proceeding with the work. Construction must conform to all applicable codes and requirements of all applicable laws and regulations. The contractor must assume full responsibility and bear costs for any corrections or damages resulting from the work.

SITE PLAN LEGEND



2 CONTEXT MAP
A100 1: 1000



STATISTICS

TOTAL SITE AREA	± 6.29 ACRES	± 2.55 HA.
GROSS BUILDING A AREA	± 49,413 S.F.	± 4,591 S.M.
FIRST FLOOR	± 24,063 S.F.	± 2,236 S.M.
SECOND FLOOR	± 23,071 S.F.	± 2,143 S.M.
EXIT STAIR	± 1,732 S.F.	± 161 S.M.
ELEVATOR	± 92 S.F.	± 9 S.M.
LOADING	± 215 S.F.	± 20 S.M.
SPRINKLER ROOM	± 90 S.F.	± 8 S.M.
SITE ELECTRICAL ROOM	± 150 S.F.	± 14 S.M.

GROSS BUILDING B AREA	± 4,998 S.F.	± 464 S.M.
GROSS BUILDING C AREA	± 4,048 S.F.	± 376 S.M.
TOTAL GROUND FLOOR AREA	± 34,476 S.F.	± 3,203 S.M.
GROSS FLOOR AREA	± 58,469 S.F.	± 5,431 S.M.
PARKING REQUIRED	261 CARS	
(1/20 S.M. GFA)	4.46/1000 S.F.	4.81/100 S.M.
PARKING PROVIDED	310 CARS	
	5.30/1000 S.F.	5.71/100 S.M.
PARKING PROVIDED W/O SNOW STORAGE	260 CARS	
	4.45/1000 S.F.	4.79/100 S.M.

COVERAGE	12.58%	
LANDSCAPED AREA	± 34,202 S.F.	12.48%

ZONING CHART

CURRENT ZONING AND REGULATIONS	C2'119 (SECONDARY MIXED USE COMMERCIAL)
ZONING BY-LAW 016-2014	REQUIRED PROVIDED

MIN. LOT FRONTAGE	60.0M	182.5M
MIN. LOT AREA	1,200 S.M.	± 2.55 HA.
MAX. LOT AREA	8.0 HA.	± 2.55 HA.
SITE SPECIFIC		
MAX. LOT COVERAGE	30%	12.6%

SETBACKS		
MIN. FRONT YARD	4.5M	3M *
MAX. FRONT YARD	6.0M	82.3M *
MIN. INTERIOR SIDE YARD	6.0M	6.0M
MIN. EXTERIOR SIDE YARD	4.5M	4.5M
MAX. EXTERIOR SIDE YARD	6.0M	11.4M *
MIN. REAR YARD	4.5M	3M *
MIN. FOR CANOPIES	7.5M	10.0M
MIN. FOR QUEUEING LANES AND VOICE...		
TO STREET LINE	7.5M	6.0M *
TO OTHER LOT LINE	4.5M	13.1M

GROSS FLOOR AREA		
MIN. BUILDING COMBINED	± 9,300 S.M.	± 5,431 S.M. *
MAX. BUILDING COMBINED	± 5,575 S.M.	± 5,431 S.M.
SITE SPECIFIC		
MIN. INDIVIDUAL BUILDING	± 370 S.M.	± 376 S.M.

MAX. BUILDING HEIGHT	9.5M	9.45M
----------------------	------	-------

LANDSCAPED OPEN SPACE		
MIN. % OF LOT AREA	15%	12.48%
MIN. LANDSCAPE BUFFER		
ABUTTING A STREET LINE	4.5M	4.5M
ABUTTING A RESIDENTIAL ZONE	4.0M	4.0M

SNOW STORAGE		
NO OF PARKING SPACE		50 SPACES
% TO ASPHALT IN PARKING LOT		5.00%


DRIVE AISLE MIN.	6M	6M
------------------	----	----

PARKING SPACE		
REGULAR (2.75M X 5.8M)	2.75M X 5.8M	2.75M X 5.8M
(C2 ZONE: 1/20 S.M.)	272 SPACES	310 SPACES
SNOW STORAGE DEDUCTED		260 SPACES
ACCESSIBLE PARKING	8 SPACES	9 SPACES
(2 ± 2% OF TOTAL)		
BARRIER-FREE TYPE A (3.4M X 5.8M)		4 SPACES
BARRIER-FREE TYPE B (2.75M X 5.8M)		5 SPACES

LOADING		
LOADING SPACE (3.5M X 12.0M)	2 SPACES	4 SPACES
MIN. SETBACK FROM BUILDING	2.2M	4.3M
MAX. SETBACK FROM BUILDING	20.0M	17.6M
LOADING AREA (3.5M X 6.0M)	2 SPACES	0 SPACES

BICYCLE PARKING	1.8M X 0.6M	1.8M X 0.6M
(3% OF REQUIRED PARKING SPACE)	9 SPACES	9 SPACES

* INDICATES NON-COMPLIANCE




1 SPA SITE PLAN
A100 1: 400

PROJECT NO.
19-178P02
PROJECT DATE
DRAWN BY
JKW
CHECKED BY
YGL
SCALE
As indicated
As indicated

ONTARIO ASSOCIATION
OF ARCHITECTS
POPE, JEREMY DAVID
LICENCE
4953

DRAWING NO.
A100
REV
5



Building Area Chart		
Name of Area	Area Meters	Area Feet
Gross Main Floor	424.8	4573
Gross Basement	258	2779
Total	683	7,352
Gross Second Floor	126.2	1359
Gross Third Floor	46.4	500
Total	172.7	1,859
Grand Total	855.7	9,211
Total above Grade	430.8	4,638

Parking Chart				
Item Type	ByLaw	Bylaw #	Required BL	Provided BL

Accessible Parking Requirements				
Accessible Parking Requirements	4%	5.9	1 Type A	1
Drive Widths	One Way Driveway	5.6.1	3.5m	
Drive Widths	Two Way Driveway	5.6.1	6m	
Drive Widths	Aisles Sizes	5.7	6m	
Non-Residential Parking Requirements	Social Services Establishment	5.8.2	1 parking space per 30m2 of gross floor area/Existing acceptable Parking Policy Area	14


Parking Sizes				
Parking Sizes	Angled	5.8	6.5x2.75	
Parking Sizes	Parallel	5.8	6.5x2.75	
Parking Sizes	Perpendicular	5.8	5.8x2.75	
Parking Sizes	Accessible Type A	5.8	5.8x3.4 (1.5x5.8 Aisle)	
Parking Sizes	Accessible Type B	5.8	5.8x2.75 (1.5x5.8 Aisle)	
Residential Parking Requirements	Upper Floor Dwelling units	5.8.1	1 per unit	1

Tree Schedule	
Code	Tree Name
T-A	Black Locust
T-B	Maple
T-C	Buckthorne

Tree Preservation Notes
The intent of tree preservation and protection is to provide an inventory of existing trees on site. It is not a survey; therefore, the exact location of existing trees must be verified on site prior to the commencement of any works.
All trees to be preserved shall be indicated and marked on site by the Project Manager prior to the commencement of the clearing and grubbing contract.
As part of the clearing and grubbing work, trees located at the edges of all preservation areas, regardless of size, are to be pruned of dead and diseased limbs. Individual specimens are to be removed in accordance with accepted horticultural practices and to the satisfaction of the Town of Milton.
In the event that a tree designated for preservation is damaged or removed without prior written permission from the Project Manager and the Town of Milton, the landowner shall be responsible as outlined in the applicable municipal by-law.
Prior to the commencement of any works, all trees or blocks of trees designated for preservation, as indicated on the plan, shall be fully protected by the erection of hoarding outside of or at the drip line.
Equipment or vehicles shall not be parked, repaired, or refueled within the tree protection zone. Construction materials shall not be stored, and earth materials shall not be stockpiled within the drip line area of any tree not designated for removal.
Trees not designated for removal shall not have rigging cables attached or wrapped around them. No contaminants shall be dumped within the protective areas, nor shall contaminants be dumped or flushed where they may come into contact with feeder roots of trees to be preserved.
Specifications for Preservation and Protection
The contractor or landowner shall take every precaution to prevent damage to trees or shrubs not designated for removal. Unless contract work specifically requires work within the drip line of trees not designated for removal, equipment shall not be operated within that area. Where work within the drip line is required, operations shall be kept to the minimum necessary. Prior to such work, written notification shall be provided to the Project Manager and the Town of Milton, who will be required to inspect the work.
The contractor's operations shall not cause damage to the trunk or branches of trees not designated for removal. The contractor's operations shall not cause flooding or sediment deposits in areas where trees are not designated for removal. If it is necessary to remove limbs or portions of trees not designated for removal, written approval must be obtained from the Project Manager and the Town of Milton prior to any work. All removals shall be carried out in accordance with standard horticultural practices.
Where grade changes are required around trees designated for preservation, the developer, agent, or landowner shall take precautions to preserve the tree, such as dry welling and root feeding. All protection measures must be completed to the satisfaction of the Project Manager and the Town of Milton.

Zoning Schedule			
Zoning	Required	Existing	Proposed
Zoning Type	CBD-A	CBD-A	No change
Lot Area	600 m2	1,622.15m ²	1,495.6m ²
Lot Frontage	30%	40.32m	39.47m
Front Yard Setback	0-2.5m	13.18	11.56m
Rear Yard Setback	0	3.18m	7m
Interior Right Side Yard Width	0	16.81m	No change
Exterior Left Side Yard Width	0-1m	3.66m	2.8m
Max Building Height	11m	9.14m	No change
Landscape Buffer	0 or 3m (Residential Zone)	0	No change
Max Landscaped Space	0%		
Use		Funeral Home	Social Services Establishment
Use		Upper-Floor Dwelling Units	No change

Legend	
	Property Line
	Area of Work
	Existing Buildings
	Fence Line
	Driveway
	Walkway
	Green Space
	Ramp
	ROW (to township)



① Site Plan
1 : 120

② Tree Protection Detail
1 : 50

MUNICIPAL STAMP

ENGINEERING STAMP

STAMP

The undersigned has reviewed and takes the responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer.
QUALIFICATION INFORMATION
Required unless design is exempt under 2.17.5.1 of the building code.
Shawn Lynn McDowell 155871
NAME SIGNATURE BCIN
REGISTRATION INFORMATION
Required unless design is exempt under 2.17.5.1 of the building code.
SD Consultants Corp 124898
FIRM NAME BCIN

REVISIONS

REV NO.	DATE	ISSUED FOR
R1	2026-01-30	Prelim Review
R2	2026-04-18	Coordination
R3	2026-05-01	SPA #1
R4		
R5		
R6		

PROJECT NOTES

SDCONSULTANTS

PERMIT COORDINATION
P. 12491877-5325
e. permit@sdconsultants.ca

PROJECT MANAGEMENT | REAL ESTATE | ARCHITECTURE


PROJECT
Social Service Establishment

ADDRESS
21 James St
Milton, ON L9T 2P3


DRAWING TITLE
Site Plan

PROJECT NUMBER
#C2509-03 21 James St

SHEET NUMBER
SP1.10



① Signage & Pavement Marking Plan
1 : 120



② Parking Details
1 : 50

MUNICIPAL STAMP

ENGINEERING STAMP

STAMP

The undersigned has reviewed and takes the responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer.

QUALIFICATION INFORMATION
Required unless design is exempt under 2.17.5.1 of the building code.
Name: Lynn McDowell
Signature: [Signature]
BCIN: 105871

REGISTRATION INFORMATION
Required unless design is exempt under 2.17.5.1 of the building code.
Firm Name: SD Consultants Corp.
BCIN: 124898

REVISIONS		
REV NO.	DATE	ISSUED FOR
R1	2026-01-30	Prelim Review
R2	2026-04-18	Coordination
R3	2026-05-01	SPA #1
R4		
R5		
R6		

PROJECT NOTES

SD CONSULTANTS

PERMIT COORDINATION
P: (249) 877-5325
e: permit@sdconsultants.ca

PROJECT MANAGEMENT | REAL ESTATE | ARCHITECTURE


PROJECT
Social Service Establishment

ADDRESS
21 James St
Milton, ON L9T 2P3

DRAWING TITLE
Signage & Marking Plan


PROJECT NUMBER
#C2509-03 21 James St

SHEET NUMBER
SP1.11



TOWN OF MILTON	Scale: N.T.S.	
WOOD PRIVACY FENCING	Date: MARCH 2017	
	Std. No. E - 28	

Ontario's 2006 Building Code Data Matrix Part 4 or 9										OBC Reference			
										References to Division 1 in Index note (A) for Division 10 (B) for Division C			
1	Project Description:			☒ New ☐ Alteration	☒ Part 11 11.1 to 11.4	☒ Part 3 1.1.2 (A)	☒ Part 9 1.1.2 [A] & 9.10.1.3						
2	Building Area (m ²) Existing _____ ☐ Change of Use _____			New stl. Total stl. 50/50 _____		1.1.2 (A)	9.10.2						
3	Major Area (m ²) Existing _____			New stl. Total stl. 50/50 _____		1.4.1.2 (A)	1.4.1.2 [A]						
4	Gross Area Existing _____			New stl. Total stl. 50/50 _____		1.4.1.2 (A)	1.4.1.2 [A]						
5	Number of Storeys Above Grade _____			Below Grade _____		1.4.1.2 (A) & 9.10.1.1	1.4.1.2 [A] & 9.10.1.4						
6	Number of Storeys/Floor Finishes Access _____			Below grade _____		3.2.2.10 & 3.2.5	9.10.20						
7	Building Classification _____			11.0.1 - GROUP 1 (RESIDENTIAL AND PERSONAL SERVICES)		3.2.2.20-83	9.10.2						
8	Spider System Proposed _____			☐ entire building ☐ selected compartments ☐ selected floor areas ☐ basement _____ on level of roof rating		3.2.2.20-83 3.2.1.5 3.2.2.17	9.10.8.2						
9	Standpipe required _____			☐ Yes ☒ No		3.2.6	N/A						
10	Fire Alarm required _____			☐ Yes ☒ No		3.2.8	9.10.18						
11	Water Service System is Adequate _____			☐ Yes ☒ No		3.2.5.7	N/A						
12	High Building _____			☐ Yes ☒ No		3.2.6	N/A						
13	Construction Restrictions _____			☐ Combustible permitted ☐ Combustible _____		☒ Both 3.2.2.20-83	9.10.6						
14	Actual Construction _____			☐ Combustible ☐ Noncombustible		☒ Both							
15	Mezzanine's Area m ² _____					3.2.1.1 (3.8.8)	9.10.4.1						
16	Occupant load based on _____			☐ m ² /person _____		3.1.1.7	9.9.1.3						
17	Basement _____			Occupancy _____		Load _____	persons _____						
18	1 st Floor _____			Occupancy _____		Load _____	persons _____						
19	2 nd Floor _____			Occupancy _____		Load _____	persons _____						
20	Additional floor areas continue below:			Occupancy _____		Load _____	persons _____						
21	Baricade-free Design ☒ Yes ☐ No (Explain) _____					3.8.	9.5.2						
22	Hazardous Substances ☐ Yes ☒ No _____					3.3.1.2 & 3.3.1.1.9	9.10.1.3(4)						
23	Fire Resistance _____			FRR (Hours)		Listed Design No. or Description (SG-2)	3.2.2.20-33.8 3.2.1.4	9.10.9.					
24	Roof _____			FRR of Supporting Members _____		Listed Design No. Or Description (SG-2)							
25	Rising _____			FRR _____									
26	Roof _____			FRR _____									
27	Mezzanine _____			FRR _____									
28	Mechanization _____			FRR _____									
29	Spatial Separation - Connection of Exterior Walls _____					3.2.3.	9.10.14.						
30	Required EBF (m ²) _____			1.1.2, 1.1.4, 1.1.5, 1.1.6, 1.1.7, 1.1.8, 1.1.9, 1.1.10, 1.1.11, 1.1.12, 1.1.13, 1.1.14, 1.1.15, 1.1.16, 1.1.17, 1.1.18, 1.1.19, 1.1.20, 1.1.21, 1.1.22, 1.1.23, 1.1.24, 1.1.25, 1.1.26, 1.1.27, 1.1.28, 1.1.29, 1.1.30, 1.1.31, 1.1.32, 1.1.33, 1.1.34, 1.1.35, 1.1.36, 1.1.37, 1.1.38, 1.1.39, 1.1.40, 1.1.41, 1.1.42, 1.1.43, 1.1.44, 1.1.45, 1.1.46, 1.1.47, 1.1.48, 1.1.49, 1.1.50, 1.1.51, 1.1.52, 1.1.53, 1.1.54, 1.1.55, 1.1.56, 1.1.57, 1.1.58, 1.1.59, 1.1.60, 1.1.61, 1.1.62, 1.1.63, 1.1.64, 1.1.65, 1.1.66, 1.1.67, 1.1.68, 1.1.69, 1.1.70, 1.1.71, 1.1.72, 1.1.73, 1.1.74, 1.1.75, 1.1.76, 1.1.77, 1.1.78, 1.1.79, 1.1.80, 1.1.81, 1.1.82, 1.1.83, 1.1.84, 1.1.85, 1.1.86, 1.1.87, 1.1.88, 1.1.89, 1.1.90, 1.1.91, 1.1.92, 1.1.93, 1.1.94, 1.1.95, 1.1.96, 1.1.97, 1.1.98, 1.1.99, 1.1.100, 1.1.101, 1.1.102, 1.1.103, 1.1.104, 1.1.105, 1.1.106, 1.1.107, 1.1.108, 1.1.109, 1.1.110, 1.1.111, 1.1.112, 1.1.113, 1.1.114, 1.1.115, 1.1.116, 1.1.117, 1.1.118, 1.1.119, 1.1.120, 1.1.121, 1.1.122, 1.1.123, 1.1.124, 1.1.125, 1.1.126, 1.1.127, 1.1.128, 1.1.129, 1.1.130, 1.1.131, 1.1.132, 1.1.133, 1.1.134, 1.1.135, 1.1.136, 1.1.137, 1.1.138, 1.1.139, 1.1.140, 1.1.141, 1.1.142, 1.1.143, 1.1.144, 1.1.145, 1.1.146, 1.1.147, 1.1.148, 1.1.149, 1.1.150, 1.1.151, 1.1.152, 1.1.153, 1.1.154, 1.1.155, 1.1.156, 1.1.157, 1.1.158, 1.1.159, 1.1.160, 1.1.161, 1.1.162, 1.1.163, 1.1.164, 1.1.165, 1.1.166, 1.1.167, 1.1.168, 1.1.169, 1.1.170, 1.1.171, 1.1.172, 1.1.173, 1.1.174, 1.1.175, 1.1.176, 1.1.1									



INTENDED USE	SALES OFFICE
GROSS SITE AREA (STAGE 1 & 2)	14,405.4 m ²
SITE AREA(STAGE 1)	10,662.6 m ²
GROSS FLOOR AREA (PROPOSED SALES OFFICE)	297.20 m ²
TOTAL BUILDING COVERAGE	297.20 m ²
LANDSCAPED AREA	0.90 Ha
PARKING REQUIRED	N/A
PARKING PROVIDED - SURFACE	18 SPACES
SETBACK TO A LOT LINE	13.28 m
SETBACK TO STREET LINE	80.81 m
SETBACK OF AT GRADE PARKING FROM LOT LINE	41.83 m

SALES OFFICE
14,405.4 m²
10,662.6 m²
297.20 m²
297.20 m²
0.90 Ha
N/A
18 SPACES
13.28 m
80.81 m
41.83 m

KEY PLAN

 Draft Plan

 Subject Area

T.S.

SCALE 1:300

LEGEND

== CURB (0.2m)

 DEPRESSED CURB TACTILE WALKING SURFACE INDICATOR

S.S SNOW STORAGE

L/A LANDSCAPED AREA

———— PROPERTY LINE


 NO PARKING BARRIER FREE
PARKING

▲ ENTRANCE

 MOBILE WASHROOM

 DRIVEWAY

 BUMPER CORB



BRITANNIA ROAD



KORSIAK | Urban Planning

TITLE: WHITE SQUADRON SITE PLAN

DATE: May 15, 2026	DRAWN BY: AS	DRAWING NO.
--------------------	--------------	-------------

FILE NO.:	CHECKED BY: CR
-----------	----------------

	A
JOB NO.:	

